



WWW.TECHNOGREEN.COM Email irrigation@technogreen.com

CONTROL AREA SYSTEMS

First-FILTRATION SYSTEM

1-SAND MEDIA FILTERS



25Kg bags of crushed basalt



Mushroom threaded - barbed with rubber



 $52-80 \text{ m}^3/\text{h}$



36" 28-45 m³/h



 $8-14 \text{ m}^3/\text{h}$

2-DISC FILTERS



3"- 4"Double short filters 50-75 m3/h

3"-single long filter 45 m3/h

2"filter 25 m3/h

Small Filters 3/4"-1"-1.5"-2" 5-6-20-25 m3/h

Filtration elements 2"-3"-4"



3-AUTOATIC AND SCREEN FILTERS



Automatic
Disc Filter 3"
35 m3/h
11 m3/h for flushing



Automatic Screen Filter Hydrulic / Electric 2"-3"-4"

25-50-100~m3/h 15-20-22 m3/h for flushing 16 sec



Automatic Screen Filter Hydrulic / Electric 4"-5"-6"-8"

100-120-160-200 m3/h 30 m3/h for flushing 30 sec



4"-6"filter wz scanner or brush 100-160 m3/h



Screen Filter 4"-6"-8"-10" 100-250-350-500-650 m3/h



100 m3/h



Screen Filter 4" Screen Filter 3" 80 m3/h



Pressure Sustaining valve 1.5"- 12"



Hydrocyclone 2-3-4-5-6-8 " 14-33-59-93-135-235 m3/h



6"-8" Screen filter wz scanner or brush 160-300 m3/h

4-FILTER BACK WASH VALVES



Armas 2"x 2"x 2" 3"x 2"x 3" 4"x 3"x 4"





Dorot 2"x 2"x 2" 3"x 2"x 3" 4"x 3"x 4"





5-CONTROLLER FOR FILTER BACK WASH VALVES

AC CONTROLLERS

DC CONTROLLERS



Talgil staion 2-4-6 controller



Galcon 4staion controller



Galcon staion 9 -12 controller



Galcon 4staion



Baccara 3station controller controller



Talgil 3staion



Talgil up to 30staion controller



Talgil 12staion controller



Differential pressure gauge



Talgil staion 2-4-6-8-10 controller



Bermad



Ac or Dc solenoieds



Baccara



Bermad

Command Pipes fittings





Baccara






8 -1/8 or1/4

Male adapter



8mm*1/8 or1/4*8mm Tee





8 mm Command pipe

chargare 220 Ac / 12 Dc



Second-FERTIGATION SYSTEM

1-PISTON PUMPS

2-VENTURIES INJECTORES



Dosatron 300L/h D3GL10



Indian/ Turkish venturi 4/3"-1"-1.5"-2"



Netafim venturi 4/3"-2"



Mazzei venturi 4/3"-1"-1.5"-2"

3-INTEGRATED AUTOMATIC INJECTION SYSTEM





It controls the irrigation valves and the filters washing cycle with automatic addition of fertilizers (acid with fertilizer up to five solutions) Ec+ PH + Co2

Third-SUCTION AND PUMPING SYSTEMS

A-SUCTION LINE



Strainer 2"-16"





Autoflushing Foot valve with 500micron screen 6"-8"-10"-12" 180-315-495-710 m3/h

B-PUMPING LINE

1-SPECIAL VALVES



Flow controle valve 2"up to 12"



surge anticipating value 2"up to 12"



centrifugal pump controle valve 4"up to 12"



Deep well pump controle valve 4"up to 12"

2-PRESSURE RELIEF VALVES



Metal pressure relife valve brass pilot 2" up to 12"



Metal pressure relife valve brass pilot 2" up to 3"



Metal pressure relife valve plastic pilot 2" up to "3



Plastic pressure relife valve plastic pilot 1.5" up to 4"

3-AUTOMATIC AIR VALVES



ARMAS 2" up to 8"



ARMAS 3" up to 12"



2" ARMAS



1" ARMAS

4-MEASURING DEVICES



Dorot multi and single jet water meters 1/2" up to 2"



Irrigation water meter Dorot Irrigation water 2" up to 12"



2" up to 12" meter



Turkish Turbo up 8" water meter



1/4" 65mm Stainlees steel Pressure gauge glycerin from zero bars to 6 or 10

110mm 3/8" Pressure gauge from zero bars to 2.5





Plastic Needle 1/4"

6-NON-RETURN VALVES



Non returen Valves swing type 2" up to "8 PN 16-10


5-BUTTERFLY VALVES











1.5" up to "16





Non returen Valves split disk type 1.5" up to "20 PN 16-10

8-BALL VALVES

7-GATE VALVES



polyproplene indian ball valve Anti chemicals PN 10-6 2"-3"



Metal ball valve PN 16-10-6 1.5"-6"



Gate valve PN 16-10 2" UP TO 12"

9-SALINE TRETMENT DEVICES

MAGNOLITH



1-To treat the harmful effect of well wate salinity
2-To treat the impact of harmful substances in wastewater or sewage
3-To treat the impact of harmful soil salinity

4-To treat the harmful effect of iron deposition in the irrigation network and to avoid blokage of drippers and to dispense with sedimentation and oxidation basins

The device is a summary of the miraculous German experience and the sure impressive results with five years back guarantee